

ASSIGNED
NO. 62701

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office DEC 30 1996

Returned to applicant for correction _____

Corrected application filed _____

Map filed JAN 21 1997 under 62700

The applicant State of Nevada - Division of State Lands, hereby makes application for permission to change the Point of Diversion of water heretofore appropriated under Permit No. 59868

1. The source of water is Underground
2. The amount of water to be changed 0.967 CFS - 700 Acre Feet Annually
3. The water to be used for Wildlife Propagation and Recreation
4. The water heretofore permitted for Wildlife Propagation and Recreation
5. The water is to be diverted at the following point NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 25, T16N, R19E, MDM, or at a Point from which the NW Corner of said Section 25 Bears N 79°26'10"W., a Distance of 1506.24 Feet.
6. The existing permitted point of diversion is located within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 25, T16N, R19E, M.D.B.&M., or at a point from which the NW corner of said Section 25 bears N17° 20' W, a distance of 3,921 feet.
7. Proposed place of use Same As The Existing Place of Use
8. Existing place of use Portions of the following: SE $\frac{1}{4}$ Section 23, S $\frac{1}{2}$ Section 24, and NE $\frac{1}{4}$ Section 26, all in T16N, R19E, M.D.B.&M.; SW $\frac{1}{4}$ Section 19, and NW $\frac{1}{4}$ Section 30, all in T16N, R20E, M.D.B.&M.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Drilled and cased well, equipped with power, motor, pump and ditch system.
12. Estimated cost of works \$70,000
13. Estimated time required to construct works (2) Two Years
14. Estimated time required to complete the application of water to beneficial use (5) Five Years
15. Remarks:

By s/Pamela B. Wilcox
Pamela B. Wilcox - Administrator
Division of State Lands
333 West Nye Lane Rm. 118
CARSON CITY, NV. 89710

Compared my/cms dl/bk

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 59868 is issued subject to the terms and conditions imposed in said Permit 59868 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The total combined duty of water under Permits 59382, 59385, 62700, 62701, and 62702 shall not exceed 731.16 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

All surface waters shall be used for wildlife purposes prior to the use of any supplemental ground water.

(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.967 cubic feet per second, but not to exceed 700.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

November 4, 1999

Proof of completion of work shall be filed before:

December 4, 1999

Application of water to beneficial use shall be filed on or before:

November 4, 2004

Proof of the application of water to beneficial use shall be filed on or before:

December 4, 2004

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 26th day of August, A.D. 1998


State Engineer

Completion of work filed

OCT 07 1999

Proof of beneficial use filed

FEB 03 2000

Cultural map filed

Certificate No.

15660

Issued

JAN 17 2001

